Purina® Goat Nutrition Program

Purina® Goat Chow®



For all breeds and lifestyles of goats

Purina® Goat Chow® Goat Feed is made with high quality grains, plant proteins, vitamins and minerals to help your goats reach their full potential.

FEATURE	BENEFIT
Nutritionally Balanced	In support of overall health and longevity
High Quality Plant Proteins	To support optimal growth, reproduction and milk production
Formulated with No Animal By-Products	A diet you can trust
Essential Fatty Acids Contained within the Ingredients	To support healthy skin and coat
Natural Oils from Pure Ingredients	Helps keep skin supple
Highly Palatable Ration	Helps reduce sorting
Key Trace Minerals	Supports bright eyes, fertility, growth and a healthy immune system
Proper Calcium to Phosphorus Ratio	Supports strong bones and helps reduce the incidence of urinary calculi

FEED GREATNESS™

©2017 Purina Animal Nutrition LLC. All rights reserved.

Goat

Purina® Goat Nutrition Program

Purina® Goat Chow®



Guaranteed Analysis:

NUTRIENT	LEVEL
Crude Protein (min.)	16.00%
Crude Fat (min.)	2.50%
Crude Fiber (max.)	9.00%
Acid Detergent Fiber (ADF) (Max)	11.00%
Calcium (Ca) (min.)	0.80%
Calcium (Ca) (max.)	1.30%
Phosphorus (P) (min.)	0.60%
Salt (NaCl) (min.)	0.75%
Salt (NaCl) (max.)	1.25%
Copper (Cu) (min.)	38.00 ppm
Copper (Cu) (max.)	48.00 ppm
Selenium (Se) (min.)	0.60 ppm
Vitamin A (min.)	5,000 IU/lb
Vitamin D_3 (min.)	1,000 IU/lb
Vitamin E (min.)	50 IU/lb

Ingredients:

Grain Products, Processed Grain By-Products, Plant Protein Products, Molasses Products, Calcium Carbonate, Salt, Forage Products, Soybean Oil, Dicalcium Phosphate, Monocalcium Phosphate, Citric Acid, Phosphoric Acid, Propionic Acid (a Preservative), Zinc Sulfate, Vitamin E Supplement, Copper Sulfate, Vitamin A Supplement, Vitamin D_3 Supplement, Manganese Sulfate, Zinc Oxide, Manganous Oxide, Cobalt Carbonate, Ferrous Sulfate, Sodium Selenite, Ethylenediamine Dihydroiodide, Potassium Iodide, Basic Copper Chloride, Sodium Molybdate.

Directions:

Purina® Goat Chow® may be fed to dry does and adult bucks at a rate of up to 1% of body weight per day. After kidding, feed an additional 1 lb Purina® Goat Chow® for every 3 lbs of milk produced. For young growing kids, feed measured amounts of Purina® Goat Chow® up to 1.5% of body weight per day. Feed with good quality roughage to all goats after weaning.

Important:

1. If kids have not been creep fed, offer grass hay on a free choice basis upon arrival.
2. When making a ration change, allow 7 to 10 days for animals to adjust to the new ration.
3. Keep a constant supply of forage available. Do not let fine material accumulate in feeders.
4. Provide adequate bunk space for each animal. Bunks should be well protected and managed to prevent feed from becoming wet or moldy.
5. Provide mineral and salt free choice.
6. Provide fresh, clean water near the feeding area.

Caution:

Store in a dry, well-ventilated area protected from rodents and insects. Do not feed moldy or insect-infested feed to animals as it may cause illness, performance loss or death.

Contains added copper. Do not feed to sheep or other copper sensitive animals.

USE ONLY AS DIRECTED.

FEED GREATNESS™

©2017 Purina Animal Nutrition LLC. All rights reserved.